Aviation Industry Communication & Hearing Protection

0



on the Ground And In The Air

3M[™] Peltor[™] has been a leading name in two-way communication headsets and protective earmuffs for over 50 years. By combining state-of-the-art electronics and hearing protector advancements, the 3M[™] Peltor[™] Aviation line has become a top choice for airport ground crews and pilots around the world.

Leading the Advancement of Hearing Conservation[™]



Aviation Headsets

The 3M[™] Peltor[™] aviation headset line features a selection of products with excellent communication and hearing protection capabilities for pilots of personal propeller airplanes and helicopters.

Fixed Wing

3M[™] Peltor[™] ANR 9500 Headsets

use analog and digital active noise reduction for improved noise attenuation

This lightweight headset is designed for use with single/twin engine aircraft planes or helicopters (with additional adapter cable)

Digital Technology for improved Engine & Propeller Noise reduction • Single, Twin Engine or Helicopter Settings • Noise-Canceling Gentex® Gooseneck Microphone • Gel-Filled Cushions • Folds For Storage • Textile Headband Cover • Durable Cables 5 year warranty
 Passive NRR 23 dB*****

3M[™] Peltor[™] Nordica[™] Sport & Sport GT Headsets

with audio input for MP3 player or cell chone

These versatile, lightweight headsets are designed to meet the needs of most personal aircraft pilots with crisp, clear communication.

 Lightweight – 9.8 oz.
 Sport GT Includes MP3/Cell Phone Audio Jack. Cables & Carrying Bag • Contoured, Low-Profile Earcups • Noise Canceling Electret Microphone • Selection of Dual-Color Earcups • NRR 23 dB with Gel Cushions*

3M[™] Peltor[™] 7000 PRO GT Headsets

Designed for pilots and passengers, the 7000 PRO GT delivers a high level of hearing protection, communication capabilities and comfort features.

 Lightweight Design
 Comfortable, Gel Cushions
 Noise-Canceling Electret Gooseneck Mic • Carrying Bag Included • NRR 25 dB*****

Helicopter

NEW 3M[™] Peltor[™] Hummingbird[™] Headset

designed for low-impedance helicopter intercom systems

This new headset leads the 3M Peltor line of helicopter headsets with advanced comfort and performance features.

• Twin Cup/Double Shell Earcup Design Provides High Attenuation • Top Exit Cables Allow For Easy Connection To Overhead Intercoms • Coiled Cables Extend for Console-Mounted Intercoms • NRR 25 dB*

NEW 3M[™] Peltor[™] 8103 Headset

with ambient-noise compensating microphone

The 8103, with its dynamic differential microphone, is specially designed for low impedance, helicopter intercom systems.

 Compatible with most low impedance intercom systems
 Broad, Covered Headband with Two-point Suspension for Seal and Comfort NRR 25 dB*

Phone Input Volume, Stereo/Mono Switch, Bass Boost and Auto Shut-Off

(shown) ANR 9500 Headset

(shown) MT22H52A-03 BM Nordica Sport GT in Blue w/MP3/ Cell Phone Input Also Available: MT22H52A-03 GV Nordica Sport GT in Gray w/MP3/Cell Phone Input MT22H52A-01 BM Nordica Sport in Blue w/MP3/Cell Phone input MT22H52A-01 GV Nordica Sport in Gray w/MP3/Cell Phone input

(shown) 7000 PRO GT Also available: 7000 Sport LE Audio Jack 7000 PR0 GTH for helicopter pilots

(shown) MT72H540F-91 Hummingbird Helicopter Headset

(shown) MT52H79F-03 Helicopter Headset 8103 CE









Ground Mechanic/Push Back Headsets

Peltor[™] Ground Mechanic Headsets are designed to provide clear communications and comfortable hearing protection during high noise push-back and ground support operations in many climate conditions.

Wireless

3M[™] Peltor[™] WS Headsets 🚯

With Bluetooth® Technology

Freedom from clumsy wires and cords provides ground crews with increased mobility and efficiencies during push-back and other functions. Welcome to the wireless world.

 Simple & Easy Connection Between Headset and Adaptor Communication Range of up to 32 feet • High Attenuation Earcups Helps Protect and Ensure Clear Communications • Noise-Canceling Microphone Helps Prevent Ambient Noise Disturbance • Bright Neon Color • NRR 25 dB (Over-the-Head)*****

3M[™] Peltor[™] WS Adapter

- · Simple & Easy Connection Between Headset and Adaptor
- Two 1.5 V AA Batteries, or 3M Peltor rechargeable battery, can provide long, reliable operation.

(shown) MT53H7AWS2 GB Headband Model Hi-Viz

Other Models Available: MT53H7AWS2 **Headband Blue Color** MT53H7BWS2 **Neckband Blue Color** MT53H7P3EWS2 Hardhat Mount Blue Color





(shown) FL6007-WS GB

Wired Hi-Viz Ground Mechanic Headsets

Versatile headset designed for comfortable wear and clear ground crew transmission/reception communications.

• Comfortable, Liquid/ Foam-Filled Earcup Cushions • Noise-Canceling Boom • Microphone w/Integral Amplifier • Padded Headband • Durable Plug Assemblies • Bright Neon Color • NRR 25 dB*****

(shown) MT7H79F-01 GB Bright Yellow w/Folding Headband

Other Models Available: MT7H79F-01 Headband Black Cups MT7H79F-68 Headband w/PTT MT7H79F-68 GB Headband PTT & Hi-Viz



2-Way Radio Headsets

an innovation in integrated communications

All-in-one communications, the PowerCom[™] line of headsets is an efficient alternative to belt radio models.

3M[™] Peltor[™] PowerCom[™] Headset

The PowerCom headset revolutionized two-way communications. Features include:

 No More Wires or Belt Radios Required • Up to a 2-Mile Range
 22 Pre-Programmed Channels • VOX and PTT Transmit • Privacy Channel System (CTCSS Tones) • Noise Canceling Boom Electret Microphone • NRR Up To 25dB (Over the Head)*****

3M[™] Peltor[™] PowerCom[™] PLUS Headset

Includes all PowerCom features PLUS:

3M[™] Peltor[™] PowerCom[™] PLUS II UHF 2-Way Radio Headset

Includes all PowerCom features PLUS:

Level-dependent Microphones for Ambient Listening
 UHF Band with Up To 30 Programmable Channels (430-470 MHz)
 Factory Mutual Certified Intrinsically Safe***
 121 Privacy Channels (CTCSS & DCSL Tones)
 Programming Compatible with Repeaters

(shown) MT53H7A4600 PowerCom Headband Other models available: MT53H7B4600 PowerCom Neckband MT53H7P3E4600 PowerCom Clip-In Hard Hat

(shown) MT53H7A4620 PowerCom Plus Headband Intrinsically Safe

Other Models Available: MT53H7B4620 PowerCom Plus Neckband FM/CSA approved Intrinsically Safe

MT53H7P3E4620 PowerCom Plus Clip-In Hard Hat FM/CSA approved Intrinsically Safe

(shown) MT53H7P3E4720 PowerCom Plus II Clip-In Hard Hat Model Intrinsically Safe

Other models available:

MT53H7A4720 PowerCom Plus II Headband Model Intrinsically Safe MT53H7B4720 PowerCom Plus II Neckband Intrinsically Safe







Tactical Headsets

3M[™] Peltor[™] Tactical XP[™] Headset

clear ambient listening and high-noise attenuation

Electronic level-dependent technology allows wearers to hear voices, machine noises, etc. clearly, while receiving protection against harmful, high level continuous and impulsive noises

Omni-Directional Earcup Microphones Amplify Ambient Sounds
 Easy-Access Fingertip Controls
 Electronic Voice-Guided Menu
System
 Battery-Saving Automatic Shut-Off
 Factory Mutual
Certified Instrinsically Safe

 Bluetooth® Wireless Technology
 NRR 27 dB (Headband model)*****

(shown) MT1H7F2-59 Tactical XP Headband Fm/Csa Approved Intrinsically Safe

Other Model Available: MT1H7F2WS3 Tactical XP w/Foldable Headband Wireless Bluetooth



QUALITY ACROSS THE LINE.

3M[™] Peltor[™] headsets and earmuffs are known for many performance and comfort features including:

Padded Headbands with two-point suspension for comfortable, pressure distribution and easy height adjustment on headband versions. • Wide earcups with liquid & foam-filled cushions are designed to provide long wear comfort and optimum seal. • Microphones with noise-cancelling design for communication clarity. Microphone positioning can be easily adjusted. • Earcup microphones featured on some models provide omni-directional ambient listening and controlled amplification. • Flexible, insulated connection cords feature durable, long wear polyurethane.

Push-To-Listen Headsets

3M[™] Peltor[™] PTL[™] Earmuffs

provide safe attenuation with the push of a button

The practice of "lifting off" an earmuff to hear can compromise attenuation (shown) H7A-PTL and protection for wearers. 3M Peltor's PTL earmuff helps eliminate this problem by allowing "outside the muff" sounds to be heard clearly when needed.

• Earcup Button for Listening Mode • Listen-through Capability with the Pass-through Sound Limited to 87 dBA • Auto-Switches to Full Protection (NRR 26 dB*****) After 30 Seconds or When Button is Pressed Again • Comfortable Liquid/Foam Filled Earcup Cushions

Hearing Protection Earmuffs

3M[™] Peltor[™] Optime[™] 105 Headset Bright Neon

For extreme noise levels up to 105 dB


The Optime[™] 105 features a "double shell" earcup design (two cups connected via a foam inner layer to reduce structural resonances) to provide more protection against noise than an earmuff without the "double shell" earcup design. High frequency and low frequency noise.

• Lightweight Design • Comfortable Liquid/Foam-Filled Earcup Cushions

- Pivoting Earcups - Twin Cup Model Features a Unique Double-Shell Design for Added Protection in High Noise Areas - NRR 30 dB*****

(shown) H10A-HV Optime™ 105 Headset Bright Yellow





PRODUCT CATEGORY	3M PRODUCT NO.	3M UPC NO.	FORMAL MARKETPLACE NAME
Fixed Wing Fixed Wing Fixed Wing Fixed Wing Fixed Wing Fixed Wing Fixed Wing Fixed Wing	ANR 9500 DIGITAL 7000 PR0 GT 7000 PR0 GTH 7000 SP0RT LE MT22H52A-01 BM MT22H52A-01 GV MT22H52A-03 BM MT22H52A-03 GV	10093045933546 10093045931221 10093045931252 10093045931269 00093045934034 10093045934048 10093045930033 00093045930029	3M TM Peltor TM Active Noise Reduction Aviation Headset White ANR 9500 DIGITAL, 1/case 3M TM Peltor TM 7000 Pro GT Fixed Wing Aviation Headset Blue 7000 PRO GT, 1/case 3M TM Peltor TM 7000 Sport LE Fixed Wing Aviation Headset Blue 7000 SPORT LE, 1/case 3M TM Peltor TM Nordica Aviation Sport Headset Blue/Black MT22H52A-01 BM, 1/case 3M TM Peltor TM Nordica Aviation Sport Headset Grey/Black MT22H52A-01 GV, 1/case 3M TM Peltor TM Nordica Sport GT Aviation Headset Blue/Black MT22H52A-03 BM, 1/case
Helicopter Helicopter	MT52H79F-03 MT72H540F-91	07318640049765	3M [™] Peltor [™] Helicopter Headset 8103 CE Low Impedence MT52H79F-03, 1/Case 3M [™] Peltor [™] Hummingbird Helicopter Headset Low Impedance MT72H540F-91, 1/Case
Ground Mech/Pushback Ground Mech/Pushback	FL3-21 FL3-22 FL3-23 FL5006-01 FL6007-WS GB MT53H7AWS2 MT53H7AWS2 GB MT53H7BWS2 MT53H7P3EWS2 MT53H7P3EWS2 MT7H79F-01 MT7H79F-01 GB MT7H79F-68 GB MT1H7F2-59 MT1H7F2WS3	07318640042377 07318640042384 07318640042391 07318640042399 07318640042399 0731864004239 07318640041431 07318640041485 07318640041486 07318640041486 07318640041892 07318640041899 07318640041899 07318640048799	3M [™] Peltor [™] Curly Extension Cable 11 to 18 Feet FL3-21, 1/Case 3M [™] Peltor [™] Curly Extension Cable 22 to 29 Feet FL3-22, 1/Case 3M [™] Peltor [™] Extension Cable Straight 40 Feet FL3-23, 1/Case 3M [™] Peltor [™] Bureton Mechanic Belt Station PTT with 22-29 Foot Curly Cable FL5006-01, 1/Case 3M [™] Peltor [™] Hi-Viz Aviation Ground Mechanic Adapter FL6007-WS GB 1/Case 3M [™] Peltor [™] Bluetooth [™] Wireless Headset - Headband Model MT53H7AWS2 3M [™] Peltor [™] Bluetooth [™] Wireless Headset - Headband Model MT53H7AWS2 3M [™] Peltor [™] Bluetooth [™] Headset MT53H7AWS2 GB, High Viz Cup Color, NRR 25dB 1/Case 3M [™] Peltor [™] Bluetooth [™] Headset MT53H7BWS2, Neckband Model 1/Case 3M [™] Peltor [™] Bluetooth [™] Headset MT53H7P3EWS2, Clip-in Hard Hat Model 1/Case 3M [™] Peltor [™] Ground Mechanic Headset Black Cups MT7H79F-01, 1/Case 3M [™] Peltor [™] Ground Mechanic Headset Hi-Viz Cups MT7H79F-01 GB, 1/Case 3M [™] Peltor [™] Ground Mechanic Headset WPTT Black Cups MT7H79F-68, 1/Case 3M [™] Peltor [™] Ground Mechanic Headset WPTT Black Cups MT7H79F-68, 1/Case 3M [™] Peltor [™] Tactical XP Headset Intrinsically Safe FM/CSA Over-the-Head MT1H7F2-59, 1/Case 3M [™] Peltor [™] Tactical XP Headset Wireless Bluetooth Over-the-Head MT1H7F2WS3, 1/Case
Earmuffs Earmuffs	H10A HV H7A-PTL	10093045981721 10093045981691	3M [™] Peltor [™] Optime [™] 105 Over-the-Head Earnuffs Hi-Viz H10A HV,10/Case 3M [™] Peltor [™] PTL [™] Over-the-head Earnuffs Push-To-Listen H7A-PTL 10/Case
PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom PowerCom	MT53H7A4600 : MT53H7A4610 * MT53H7A4620 :- MT53H7A4620 :- MT53H7B4600 : MT53H7B4610 * MT53H7B4620 :- MT53H7B4720 : MT53H7P3E4600 : MT53H7P3E4620 :- MT53H7P3E4620 :- MT53H7P3E4620 :-	07318640051737 07318640051720 07318640044616 10093045930781 07318640041240 07318640041249 07318640041219 07318640041219 07318640041257 07318640041226 07318640041226 07318640051713 10093045930804	3M TM Peltor TM PowerCom TM Wireless 2way Radio Headset Over-the-Head MT53H7A4600, 1/Case 3M TM Peltor TM PowerCom TM Plus Intrinsically Safe Headset Over-the-Head MT53H7A4620, 1/Case 3M TM Peltor TM PowerCom TM Plus Intrinsically Safe Headset Over-the-Head MT53H7A4620, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset Over-the-Head MT53H7A4620, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset Over-the-Head MT53H7A4620, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio Headset Behind-the-Head MT53H7B4600, 1/Case 3M TM Peltor TM PowerCom TM Plus Wireless 2way Radio Headset Behind-the-Head MT53H7B4610, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset Behind-the-Head MT53H7B4620, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset Behind Head MT53H7B4620, 1/Case 3M TM Peltor TM PowerCom TM Plus Wireless 2way Radio Headset HardHat Mount MT53H7P3E4600, 1/Case 3M TM Peltor TM PowerCom TM Plus Wireless 2way Radio Headset HardHat Mount MT53H7P3E4600, 1/Case 3M TM Peltor TM PowerCom TM Plus Wireless 2way Radio Headset HardHat Mount MT53H7P3E4620, 1/Case 3M TM Peltor TM PowerCom TM Plus Wireless 2way Radio Headset HardHat Mount MT53H7P3E4620, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset HardHat Mount MT53H7P3E4720, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset HardHat Mount MT53H7P3E4720, 1/Case 3M TM Peltor TM PowerCom TM Plus II UHF 2way Radio I.S. Headset HardHat Mount MT53H7P3E4720, 1/Case
Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory	FP9007-US HY10 HY100A HY7 HY79 HY80 M40/1 M41/2 M57 M60/2 M62 M995 MT53-02 MT90 MT90-01	10093045978585 10093045081049 10093045087706 07318640051706 07318640011779 07318640011777 07318640011717 00093045978779 07318640002708 10093045933560 10093045978783 10093045978783 10093045979216 10093045929341	3M [™] Peltor [™] Aviation Headset Carrying Bag FP9007-US 1 EA/Case 3M [™] Peltor [™] Earmuff Replacement Hygiene Kit H10 Cups HY10, 20 KT/Case 3M [™] Peltor [™] Earmuff Hygiene Kit H7 Cups HY7, 20 KT/Case 3M [™] Peltor [™] Earmuff Hygiene Kit H7 Cups HY7, 20 KT/Case 3M [™] Peltor [™] Camelback Gel Sealing Rings HY80 1 PR/Case 3M [™] Peltor [™] Windscreen for Boom Microphone M40/1, 1/Case 3M [™] Peltor [™] Cup Mic Windscreen for Surround M41/2, 1 PR/Case 3M [™] Peltor [™] Cup Mic Windscreen for Surround M41/2, 1 PR/Case 3M [™] Peltor [™] Cup Microphone Foam Windscreen M60/2, 1 PR/Case 3M [™] Peltor [™] Cup Microphone Foam Windscreen M60/2, 1 PR/Case 3M [™] Peltor [™] Cup Microphone Foam Windscreen M60/2, 1 PR/Case 3M [™] Peltor [™] Muside Plastic Microphone Protector M62, 1/Case 3M [™] Peltor [™] Metal Boom Microphone assembly electret MT53-02, 1/Case 3M [™] Peltor [™] Throat microphone M190 1/Case 3M [™] Peltor [™] Throat microphone M190-01 1/Case

*Tested in 3M's NVLAP accredited laboratory

**Factory Mutual Approval: Intrinsically safe for use in Class I, II and III, Division 1, applicable Groups C, D, E, F and G, Temperature Class T4, Ta=55°C Hazardous (Classified) Locations in accordance with User Manual FP3581

*** Factory Mutual approval: Intrinsically safe for use in Class I, Division 1, Groups A, B, C and D; Temperature Class T4, Ta=60°C Hazardous (Classified) Locations in accordance with User Manual FP3609

**** Factory Mutual Approval: Intrinsically safe for use in Class I, Groups C and D; Class II, Groups E, F and G; Class III:

Intrinsically safe per User Manual FP3618 when powered by two "Philips" R6 1.5 Volt AA carbon-zink batteries, "Duracell" LR6 1.5 Volt AA No. MN1500 alkaline batteries or "Duracell Procell" LR6 1.5 AA No. PC1500 alkaline batteries. Temperature Code T3C (160°C), Tamb=-20°C≤Ta≤+55°C.

*****Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit. OSHA recommends hat the NRR be reduced by 50% when comparing relative effectiveness of hearing protection devices and engineering noise controls.

****** Only 8 pre-programmed channels - Rechargeable battery pack not included.

WARNING!

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-665-2942. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

3M Occupational Health and Environmental Safety Division 3M Center, Building 235-2W-70 St. Paul, MN 55144-1000 USA Technical Assistance: 1-800-665-2942 www.3M.com/OccSafety Please recycle. Printed in U.S.A. Bolger 10070640 © 3M 2010. All rights reserved. 70-0715-7405-0 © 3M 2010. All rights reserved. 3M is a trademark of 3M Company used under license in Canada, Peltor, PowerCom, PowerCom Plus, PowerCom Plus II, Nordica and Optime are trademarks of 3M Svenska AB used under license by 3M. Gentex is property of Gentex Corporation. The Bluetooth® wordmark and logotype are the property of Bluetooth SIG, Inc., and all use of them is subject to licensing agreements.

