

CradlePoint ARC CBA750B Series

INTEGRATED MOBILE BROADBAND ADAPTER

Wireless WAN connectivity for distributed business locations



Mobile Broadband to Ethernet Adapter

WIRELESS WAN CONNECTIVITY

The CradlePoint CBA750B integrated mobile broadband series adapters enable easy-to-install wireless WAN connectivity in fixed-business locations. For distributed enterprises like branch offices, retail stores, restaurants, and small businesses, the CBA750B provides 3G/4G wireless network connectivity to keep your business up and running.

FAILOVER MADE SIMPLE

The CradlePoint CBA750B 3G/4G cellular broadband adapter provides IP passthrough capabilities for any device that requires wireless broadband access. For most applications, simply connect the CBA750B to an existing CPE router configured for WAN failover, and it's ready to go. The CBA750B handles the wireless WAN connection through the integrated 3G/4G modem when failover occurs.

PRIMARY CONNECT IS EASY TOO

For temporary networks – or when wired connections are impractical – the CBA750B can serve as a primary-connect device, converting mobile broadband to Ethernet for point-of-sale tools, digital signs, and kiosks.

KEY FEATURES

- Integrated 3G/4G mobile broadband connectivity
- Drop into existing network for a turnkey failover solution
- Remote management capabilities
- Power-over-Ethernet
- IPv6 support

PERFORMANCE AND RELIABILITY

Engineered for day-in, day-out 24/7 Internet connectivity, the integrated business series products extend the benefits of WiPipe technology across the router and the modem, ensuring reliable connections when you need them. In router mode the CBA750B has access to most of CradlePoint's powerful suite of routing capabilities. Power-over-Ethernet enables flexible mounting location, and external high-gain antennas ensure optimal performance in areas of low signal strength.

CRADLEPOINT ENTERPRISE CLOUD MANAGER


Rapidly deploy and dynamically manage networks at geographically distributed locations with Enterprise Cloud Manager, CradlePoint's next generation application platform. Improve productivity, reduce costs, and enhance the intelligence of your network and business operations.

Subscription required. See cradlepoint.com/ecm for details.

CRADLEPOINT SUPPORT AND SERVICES

The CBA750B comes with a standard 1 year hardware warranty. For extended warranties and other enhanced services including enterprise-level support, site surveys, and expert installation, check out CradlePoint's CradleCare suite of services.

Subscription required. See cradlepoint.com/cradlecare for details.



cradlepoint.com/ARCCBA750B

ARC CBA750B Integrated Series Cellular Broadband Adapter

Key Features and Benefits

The CBA750B seamlessly transfers the power and flexibility of 3G/4G mobile broadband connectivity to your local network for business applications.

Internet Access and Device Connectivity

Integrated high-speed 3G/4G modem – see attached specifications (non-integrated option available)

1 Ethernet LAN port for local Ethernet-enabled devices

WiPipe Technology Modem Health Management with 24x7 connection verification ensures the wireless connection will be there when you need it

Security

SPI (stateful packet inspection) firewall and NAT (Network Address Translation) to prevent unwanted access to connected computers

Variety of security features (URL filtering, IP & traffic filtering, DMZ, port forwarding) for safer Internet access

Advanced security mode and reporting to facilitate PCI-DSS compliance

802.1Q VLAN support to isolate, segment, and secure network traffic

Flexibility

First-time setup wizard for easy, swift, and secure setup

One-page dashboard to view router status and configuration

IP passthrough support provides broadband-to-Ethernet adapter; configure automatically with switch or setup wizard

Power-over-Ethernet – enables flexible location for convenience and best reception using existing CAT-5 cabling

Remote management with CradlePoint Enterprise Cloud Manager

SNMP v1/2c/3, CLI over SSH, and SMS

Data usage tracking with alerts to monitor data usage and avoid overages

Advanced diagnostics tools including: tcpdump, netfilter, traceroute

IPv6 support

Advanced APN management

Roaming control and ability to force 3G or 4G bands

Router services (e.g. Enterprise Cloud Manager) can be routed over LAN for devices in IP passthrough/failover mode – no data passed over 3G/4G connection

Service, Support, and Warranty

CradleCare Support Agreement with technical support, software upgrades, and advanced hardware exchange – 1, 3, and 5 year options

Limited 1 year warranty included with hardware repair or replacement – extend warranty to 2, 3, or 5 years

CradleCare Site Survey and Installation services available for rapid deployment

Specifications

WAN

Integrated modem; no modem option available – see below for SKU options

LAN

One 10/100 Ethernet port

TEMPERATURE

0°C to 50°C (32°F to 122°F) Operating
–20°C to 70°C (–4°F to 158°F) Storage

RELATIVE HUMIDITY (non-condensing)

10% to 85%, operating
5% to 90%, storage

SIZE

9 x 7.25 x 1.6 in (230 x 185 x 40 mm) (including integrated modem)

WEIGHT

1.5 lb (600g)

CERTIFICATIONS

FCC, CE, IC, carrier (certifications depend on the specific model – see SKUs)

What's In The Box

CBA750B with integrated 3G/4G modem (no modem option available)

External mobile broadband modem antennas (2) (SMA) w/ multiplexing for GPS (on some models)

CAT5 Ethernet cable

12V / 1.5A power supply

Quick Start Guide with warranty information

Accessories

High-gain external antennas (Omni-directional, Patch, Yagi, 12" Mag-mount, 4" Mini mag-mount), see cradlepoint.com/CBA750B for more information

Requirements

Internet Service Active mobile broadband plan with cellular provider

Browser (to configure router) Minimum of Firefox v2.0, Internet Explorer v7.0, Chrome, or Safari v1.0

Router Details

WAN Security NAT, SPI, ALG, inbound filtering of IP addresses, port blocking, service filtering (FTP, SMTP, HTTP, RPL, SNMP, DNS, ICMP, NNTP, POP3, SSH), protocol filtering, WAN ping (allow/ignore)

Management CradlePoint Enterprise Cloud Manager: cloud-enabled management and application platform (subscription-based); web-based GUI (local management), optional RADIUS or TACACS+ username/password; remote WAN web-based management w/ access control (HTTP, HTTPS); SNMP v1, v2c & v3, CLI over SSH, SSH to serial, SSH to telnet, API; one-button firmware upgrade; modem configuration, update, and management; modem data usage and alerts, per-client data usage; custom AT scripting to modems; SMS

Intelligent Routing UPnP, DMZ, virtual server/port forwarding, routing rules, NAT-less routing, wireless WAN-to-LAN IP passthrough, route management, per-interface routing, content filtering, IP filtering, website filtering, per-client Web filtering, local DHCP server, DHCP client, DHCP relay, DNS, DNS proxy; ALGs: PPTP, L2TP, PPPoE passthrough, IPsec passthrough, FTP (passive), FTP (active), SIP, TFTP, IRC, MAC address filtering, Dynamic DNS, VLAN support (802.1Q), IPv6

Performance & Health Monitoring Modem Health Management (MHM) improves connectivity of modem, WAN port speed control, WAN failure detection, several levels of basic and advanced logging for troubleshooting

GPS Standalone GPS supported on most models (see attached); GUI mapping as well as local (LAN) or remote (WAN) server logging



One-year limited hardware warranty only available in the US and Canada; two-year limited hardware warranty for integrated EU products when purchased from an authorized EU distributor. Product specifications are subject to change without notice, and product appearance may differ from image depicted on this package. This product requires either an active subscription from a wireless service provider or an Ethernet-based broadband service from an Internet service provider to receive Internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2014 CradlePoint, Inc. All rights reserved. CradlePoint, WiPipe™, and the WiPipe logo are trademarks of CradlePoint, Inc. in the US and other countries. Other trademarks are the property of their respective owners.

Ordering information

CradlePoint Enterprise Cloud Manager



DEPLOY AND MANAGE THE INTELLIGENT NETWORK

Rapidly deploy and dynamically manage networks at geographically distributed locations with Enterprise Cloud Manager, CradlePoint's next generation application platform. Improve productivity, reduce costs, and enhance the intelligence of your network and business operations.

Annual and multi-year licenses available. See cradlepoint.com/ecm for details.

ARC CBA750B Business Series Routers

ARC CBA750B-LE-VZ	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Verizon network
ARC CBA750B-LP-AT	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for the AT&T network
ARC CBA750B-LE2-SP	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Sprint network
ARC CBA750B-LP2-EU	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for Europe
ARC CBA750B-LP	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection (generic)
CBA750B	CradlePoint's cellular broadband adapter – no integrated modem

CradleCare Support and Services

CradleCare Support Agreement	When your applications are mission critical, you need the assurance that only the CradleCare Support Agreement plan can provide, including unlimited technical support, software upgrades, and advanced hardware exchange – 1, 3, and 5 year plans available.
CradleCare Extended Warranty	This plan represents an extension of the standard 1-year CradlePoint warranty to 2, 3, or 5 years, with hardware repair/replacement.
CradleCare Standard 3G/4G Site Survey	Comprehensive carrier analysis for optimal performance: on-site engineer with proprietary site survey tool; 3G/4G RF testing on the major carriers; WiFi coverage testing; specified operating location; external antennas and POE testing; mapping and photos; data capture; report generation, including recommendations.
CradleCare Standard Installation	Deploy the experts to ensure a successful installation and operations: Installation Statement of Work (SOW); installation, mounting of CradlePoint equipment; installation of customer-specific equipment; cabling and mounting of antennas; extended wiring; configuration of all equipment; operational testing; report generation.

Accessories (see CradlePoint's antenna ordering and installation guide for more information)

Part # 170587-000	Directional Patch antennas for external (outside) mounting
Part # 170588-000	Directional Yagi (Log-Periodic) antennas for external (outside) mounting
Part # 170586-000	Omni-directional antennas for external (outside) mounting
Part # 170605-000	12" Mag-mount antenna
Part # 170606-000	4" Mini mag-mount antenna

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: U.S. CARRIERS

ARC CBA750B-LE-VZ	4G/3G LTE/EVDO for Verizon
Technology: LTE, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> LTE Band 13 (700 MHz) CDMA EVDO Rev A/1xRTT (800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, EVDO 24 dBm +/- 1 (typical conducted)	
Module: Sierra Wireless MC7750	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; maximum torque spec is 7 kgf-cm	
GPS: standalone GPS support	
Industry Standards & Certs: FCC, Verizon	
Modem Part Number: MC200LE	

ARC CBA750B-LP-AT	4G/3G LTE/HSPA+ for AT&T
Technology: LTE, HSPA+	
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> LTE Band 17 (700 MHz), Band 4 (AWS) HSPA+/UMTS (850/1900/2100 MHz) GSM/GPRS/EDGE (850/900/1800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)	
Module: Sierra Wireless MC7700	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection	
GPS: standalone GPS support	
Industry Standards & Certs: PTCRB, FCC, IC, AT&T	
Modem Part Number: MC200LP	

ARC CBA750B-LE2-SP	4G/3G LTE/EVDO for Sprint
Technology: LTE, EVDO Rev A	
Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)	
Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)	
Frequency Bands: <ul style="list-style-type: none"> LTE Band 25 (1900 MHz) CDMA EVDO Rev A/1xRTT (800/1900 MHz) 	
Power: LTE 23 dBm +/- 1, EVDO 24 dBm +/- 1 (typical conducted)	
Module: Sierra Wireless MC7355	
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; maximum torque spec is 7 kgf-cm	
GPS: standalone GPS support	
Industry Standards & Certs: FCC, Sprint	
Modem Part Number: MC200LE2	

ARC SERIES INTEGRATED MODEM SPECIFICATIONS: INTERNATIONAL

ARC CBA750B-LP2-EU 4G/3G LTE/HSPA+ for Europe
Technology: LTE, HSPA+
Downlink Rates: LTE 50 Mbps, HSPA+ 21.1 Mbps (theoretical)
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)
Frequency Bands: <ul style="list-style-type: none">• LTE (800/900/1800/2100/2600 MHz)• HSPA+/UMTS (900/2100 MHz)• GSM/GPRS/EDGE (900/1800/1900 MHz)
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)
Module: Sierra Wireless MC7710
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection
GPS: standalone GPS support
Industry Standards & Certs: CE, GCF-CC
Modem Part Number: MC200LP2

ARC CBA750B-LP 4G/3G LTE/HSPA+ (generic)
Technology: LTE, HSPA+
Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)
Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)
Frequency Bands: <ul style="list-style-type: none">• LTE Band 17 (700 MHz), Band 4 (AWS)• HSPA+/UMTS (850/1900/2100 MHz)• GSM/GPRS/EDGE (850/900/1800/1900 MHz)
Power: LTE 23 dBm +/- 1, UMTS 23 dBm +/- 1 (typical conducted)
Module: Sierra Wireless MC7700
Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection
GPS: standalone GPS support
Industry Standards & Certs: PTCRB, FCC, IC
Modem Part Number: MC200LP